

RCLL

Tip _____
 Cod _____
 Ø/D2 mic _____
 Ø/D1 mare _____

Technical drawing of a stepped shaft. The shaft has a total length of 100 units. It features a central step with a diameter of $\varnothing d_2$ and a length of 20 units. The two outer sections have a diameter of $\varnothing d_1$. The distance from the left end to the start of the step is 40 units, and the distance from the end of the step to the right end is 40 units. The drawing includes a centerline and a dimension line for the total length.

Reductii circulare cu garnitura

RCLL

Dimensiuni

$\varnothing d_{1\text{ nom}}$ (mm)	$\varnothing d_{2\text{ nom}}$ (mm)	L (mm)	Weight (kg)
125	100	52	0.23
160	100	91	0.34
	125	63	0.31
200	100	135	0.49
	125	107	0.46
	160	69	0.40
250	100	191	0.72
	125	163	0.69
	160	124	0.64
	200	80	0.55
300	125	219	1.10
	160	180	0.99
	200	135	0.90
	250	80	0.76
315	125	235	1.15
	160	196	1.05
	200	152	1.00
	250	96	0.85
	300	41	0.79
355	160	241	1.64
	200	196	1.52
	250	141	1.40
	300	86	1.15
	315	69	1.10
400	160	295	2.20
	200	226	1.95
	250	175	1.65
	300	139	1.62
	315	110	1.55
	355	71	1.40
450	200	276	3.20
	250	226	3.00
	300	194	2.75
	315	160	2.65
	355	121	2.45
	400	79	2.25
500	200	362	3.90
	250	276	3.70
	300	251	3.50
	315	211	3.35
	355	170	3.15
	400	129	3.00
	450	79	2.70

$\varnothing d_{1\text{ nom}}$ (mm)	$\varnothing d_{2\text{ nom}}$ (mm)	L (mm)	Weight (kg)
560	250	377	4.70
	300	317	4.40
	315	300	4.30
	355	257	4.10
	400	211	3.90
	450	154	3.60
	500	98	3.20
600	250	447	5.20
	300	382	4.90
	315	365	4.60
	355	321	4.60
	400	275	4.50
	450	219	4.20
	500	164	3.80
	560	96	2.30
630	250	451	5.90
	300	395	5.60
	315	379	5.50
	355	334	5.30
	400	288	5.00
	450	232	4.80
	500	177	4.30
	560	110	3.60
	600	73	3.50
710	355	428	8.60
	400	381	8.30
	450	325	7.90
	500	269	7.30
	560	202	6.20
	600	159	5.80
	630	125	5.40
800	400	480	10.7
	450	426	10.30
	500	386	9.70
	560	304	8.90
	600	259	8.40
	630	226	7.70
	710	140	7.00
900	450	536	12.80
	500	480	12.70
	560	414	11.60
	600	370	11.00
	630	337	10.70

Reductii circulare cu garnitura

RCLL

Dimensiuni

$\varnothing d_{1\text{ nom}}$ (mm)	$\varnothing d_{2\text{ nom}}$ (mm)	L (mm)	Weight (kg)
1000	500	592	16.20
	560	525	15.40
	600	481	14.80
	630	447	14.30
	710	363	13.50
	800	263	11.70
	900	151	9.50
1120	560	659	21.80
	600	574	21.30
	630	552	20.70
	710	496	19.80
	800	397	17.70
	900	284	15.30
	1000	174	12.70
1250	600	884	26.0
	630	726	25.5
	710	641	24.4
	800	541	22.8
	900	429	20.4
	1000	318	17.7
	1120	184	15.8